FERC ICA Oil Tariff Buckeye Market-Based Rates Tariff FERC No. 438.11.0 (Cancels FERC No. 438.10.0)

BUCKEYE PIPE LINE COMPANY, L.P.

LOCAL TARIFF

Applying On The Transportation Of

REFINED PETROLEUM PRODUCTS

From

NEW HAVEN, CONNECTICUT

To Points In

CONNECTICUT AND MASSACHUSETTS

Governed by the Rules and Regulations published in Buckeye Pipe Line Company, L.P.'s Tariff FERC No. 436.5.0, supplements thereto and reissues thereof.

Pursuant to the Commission's Decision of February 22, 2013, 142 FERC ¶ 61,140, the destinations named herein are in markets in which Buckeye may continue to charge market-based rates.

This tariff contains market-based rates filed in compliance with 18 CFR §342.4(b)

The provisions published herein, if effective, will not result in an effect on the quality of the human environment.

ISSUED: APRIL 29, 2016

EFFECTIVE: JUNE 1, 2016

Issued by: ROBERT A. MALECKY President, Domestic Pipelines and Terminals Mainline L.P. General Partner of Buckeye Pipe Line Company, L.P. Five TEK Park 9999 Hamilton Blvd. Breinigsville, PA 18031



Compiled by: STEVEN R. TRAPANI Buckeye Pipe Line Company, L.P. Five TEK Park 9999 Hamilton Blvd. Breinigsville, PA 18031 (610) 904-4635 strapani@buckeye.com

TABLE OF RATES Rates in Cents Per Barrel of 42 United States Gallons					
Kales III Ge	County		FROM: (Origins) CONNECTICUT NEW HAVEN		
[U] Unchanged:					
All rates on this page are unchanged unless otherwise indicated.					
			New Haven		
то:		Code	AA BA BB EN EW		
(Destinations)			Aviation Turbine Fuel	Distillates	Gasolines
CONNECTICUT					
NEW HAVEN	New Haven	(3)	-	14.90	14.90
MIDDLETOWN	Middlesex	RW	-	71.14	43.01
PORTLAND	Middlesex	RW			
EAST HARTFORD	Hartford	FD		82.36	53.56
HARTFORD (MAIN STREET)	Hartford	AJ	-		
ROCKY HILL	Hartford	RY			
WETHERSFIELD	Hartford	WE			
ENFIELD	Harford	FA	-	108.70	-
MELROSE	Hartford	NC			
BRADLEY INTERNATIONAL AIRPORT	Hartford	DY	109.10	109.10	-
MASSACHUSETTS					
LUDLOW	Hampden	LD	[l] 285.01	117.20	-
SPRINGFIELD	Hampden	(2)	-	117.20	94.00

- (1) Exception to FERC No. 436.5.0 (Rules and Regulations) Item No. 25: The minimum batch size is 5,000 barrels.
- (2) Springfield includes delivery points: Springfield Junction (GD), Bay Street (BS), Albany Street (AY), Agnew Street Junction (GW), and North Springfield (NG).
- (3) New Haven Location Abbreviation Codes are: (AA) (BA) (BB) (EN) (EW)

Explanation of Reference Marks:

- [I] Increase
- [U] Unchanged