

FERC ICA Oil Tariff  
Buckeye Market-Based Rates Tariff

FERC No. 438.9.0  
(Cancels FERC No. 438.8.0)

# BUCKEYE PIPE LINE COMPANY, L.P.

## LOCAL TARIFF

Applying On The Transportation Of

## REFINED PETROLEUM PRODUCTS

From

## NEW HAVEN, CONNECTICUT

To Points In

## CONNECTICUT AND MASSACHUSETTS

Governed by the Rules and Regulations published in  
Buckeye Pipe Line Company, L.P.'s Tariff FERC No. ~~[W] 436.5.0 436.2.0~~,  
supplements thereto and reissues thereof.

~~[C] Issued on 18 days notice under authority of 18 CFR 341.14. This tariff publication  
is conditionally accepted subject to refund pending a 30 day review period.~~

Pursuant to the Commission's Decision of February 22, 2013, 142 FERC ¶ 61,140, the destinations named  
herein are in markets in which Buckeye may continue to charge market-based rates.


This tariff contains market-based rates filed in compliance with 18 CFR §342.4(b)

The provisions published herein, if effective, will not result in an effect on the quality of the human environment.

**ISSUED: DECEMBER 30, 2015**

**EFFECTIVE: FEBRUARY 1, 2016**

Issued by:  
~~[W] ROBERT A. MALECKY~~ ~~CLARK C. SMITH~~  
President, ~~[N] Domestic Pipelines and Terminals~~  
Mainline L.P.  
General Partner of  
Buckeye Pipe Line Company, L.P.  
Five TEK Park  
9999 Hamilton Blvd.  
Breinigsville, PA 18031



Compiled by:  
STEVEN R. TRAPANI  
Buckeye Pipe Line Company, L.P.  
Five TEK Park  
9999 Hamilton Blvd.  
Breinigsville, PA 18031  
(610) 904-4635  
strapani@buckeye.com

# TABLE OF RATES

Rates in Cents Per Barrel of 42 United States Gallons

**[I]** Increase:  
All rates on this page  
are increased unless  
otherwise indicated.

<b>TO:</b> <b>(Destinations) <sup>(1)</sup></b>			<b>FROM: (Origins)</b>		
			<b>CONNECTICUT</b>		
			NEW HAVEN		
			<i>New Haven</i>		
<b>County</b>		Code	AA BA BB EN EW		
			<b>Distillates</b>	<b>Gasolines</b>	
<b>CONNECTICUT</b>					
NEW HAVEN	<i>New Haven</i>	(3)	<b>14.90</b>	<b>14.90</b>	
MIDDLETOWN	<i>Middlesex</i>	RW	<b>71.14</b>	<b>43.01</b>	
PORTLAND	<i>Middlesex</i>	RW			
EAST HARTFORD	<i>Hartford</i>	FD			
HARTFORD (MAIN STREET)	<i>Hartford</i>	AJ			
ROCKY HILL	<i>Hartford</i>	RY	<b>82.36</b>	<b>53.56</b>	
WETHERSFIELD	<i>Hartford</i>	WE			
ENFIELD	<i>Hartford</i>	FA			
MELROSE	<i>Hartford</i>	NC	<b>108.70</b>	-	
BRADLEY INTERNATIONAL AIRPORT	<i>Hartford</i>	DY	<b>109.10</b>	-	
<b>MASSACHUSETTS</b>					
LUDLOW	<i>Hampden</i>	LD	<b>117.20</b>	-	
SPRINGFIELD	<i>Hampden</i>	(2)	<b>117.20</b>	<b>[U] 94.00</b>	
WESTOVER	<i>Hampden</i>	SR	<b>117.20</b>	-	

**Notes:**

- (1) Exception to FERC No. **[W]** ~~436.5.0~~ 436.2.0 (Rules and Regulations) - Item No. 25: The minimum batch size is 5,000 barrels.
- (2) Springfield includes delivery points: Springfield Junction (GD), Bay Street (BS), Albany Street (AY), Agnew Street Junction (GW), and North Springfield (NG).
- (3) New Haven Location Abbreviation Codes are: (AA) (BA) (BB) (EN) (EW)

**Explanation of Reference Marks:**

- [C]** Cancel
- [I]** Increase
- [N]** New
- [U]** Unchanged
- [W]** Change in Wording Only