

FERC ICA Oil Tariff
Buckeye Market-Based Rates Tariff

FERC No. 438.21.0
(Cancels FERC No. 438.20.0)

BUCKEYE PIPE LINE COMPANY, L.P.

LOCAL TARIFF

Applying On The Transportation Of

REFINED PETROLEUM PRODUCTS

From

NEW HAVEN, CONNECTICUT

To Points In

CONNECTICUT AND MASSACHUSETTS

Governed by the Rules and Regulations published in
Buckeye Pipe Line Company, L.P.'s Tariff FERC No. 436.14.0,
supplements thereto and reissues thereof.

Pursuant to the Commission's Decision of February 22, 2013, 142 FERC ¶ 61,140, the destinations named
herein are in markets in which Buckeye may continue to charge market-based rates.


This tariff contains market-based rates filed in compliance with 18 CFR §342.4(b)

The provisions published herein, if effective, will not result in an effect on the quality of the human environment.

ISSUED: MAY 27, 2021

EFFECTIVE: JULY 1, 2021

Issued by:
ROBERT A. MALECKY
President, Domestic Pipelines and Terminals
Mainline L.P.
General Partner of
Buckeye Pipe Line Company, L.P.
Five TEK Park
9999 Hamilton Blvd.
Breinigsville, PA 18031



Compiled by:
STEVEN R. TRAPANI
Buckeye Pipe Line Company, L.P.
Five TEK Park
9999 Hamilton Blvd.
Breinigsville, PA 18031
(610) 904-4635
strapani@buckeye.com

TABLE OF RATES

Rates in Cents Per Barrel of 42 United States Gallons

TO: (1) (Destinations)		County Code		FROM: (Origins)		
				CONNECTICUT		
				NEW HAVEN		
				<i>New Haven</i>		
				AA BA BB EN EW		
		Aviation Turbine Fuel	Distillates	Gasolines		
CONNECTICUT						
NEW HAVEN	<i>New Haven</i>	(3)	-	16.16	16.16	
MIDDLETOWN	<i>Middlesex</i>	RW	-	77.16	46.65	
PORTLAND	<i>Middlesex</i>	RW				
EAST HARTFORD	<i>Hartford</i>	FD				
HARTFORD (MAIN STREET)	<i>Hartford</i>	AJ	-	89.33	58.10	
ROCKY HILL	<i>Hartford</i>	RY				
WETHERSFIELD	<i>Hartford</i>	WE				
ENFIELD	<i>Hartford</i>	FA	-	117.90	-	
MELROSE	<i>Hartford</i>	NC				
BRADLEY INTERNATIONAL AIRPORT	<i>Hartford</i>	DY	118.33	118.33	-	
MASSACHUSETTS						
LUDLOW	<i>Hampden</i>	LD	124.63	124.63	-	
SPRINGFIELD	<i>Hampden</i>	(2)	-	124.63	[D] 95.71	

Notes:

- (1) Exception to FERC No. 436.14.0 (Rules and Regulations) - Item No. 25: The minimum batch size is 5,000 barrels.
- (2) Springfield includes delivery points: Springfield Junction (GD), Bay Street (BS), Albany Street (AY), Agnew Street Junction (GW), and North Springfield (NG).
- (3) New Haven Location Abbreviation Codes are: (AA) (BA) (BB) (EN) (EW)

Explanation of Reference Marks:

- [D]** Decrease
- [U]** Unchanged