FERC No. 438.22.0 (Cancels FERC No. 438.21.0)

# **BUCKEYE PIPE LINE COMPANY, L.P.**

#### **LOCAL TARIFF**

Applying On The Transportation Of

## REFINED PETROLEUM PRODUCTS

From

## **NEW HAVEN, CONNECTICUT**

To Points In

### CONNECTICUT AND MASSACHUSETTS

Governed by the Rules and Regulations published in Buckeye Pipe Line Company, L.P.'s Tariff FERC No. 436.14.0, supplements thereto and reissues thereof.

Pursuant to the Commission's Decision of February 22, 2013, 142 FERC ¶ 61,140, the destinations named herein are in markets in which Buckeye may continue to charge market-based rates.

This tariff contains market-based rates filed in compliance with 18 CFR §342.4(b)

The provisions published herein, if effective, will not result in an effect on the quality of the human environment.

**ISSUED: MAY 25, 2022 EFFECTIVE: JULY 1, 2022** 

Issued by:

[W] JOSEPH M. SAUGER ROBERT A. MALECKY [N] Exec. Vice President, [C] Domestic Pipelines and Terminals

Mainline L.P.

General Partner of

Buckeye Pipe Line Company, L.P.

[C] Five TEK Park [W] 4200 Westheimer Road Suite# 975 9999 Hamilton Blvd.

[W] Houston, TX 77027 Breinigsville, PA 18031

Compiled by:

STEVEN R. TRAPANI

Buckeye Pipe Line Company, L.P.

[W] The Buckeye Building Five TEK Park

[W] 6161 9999 Hamilton Blvd.

[W] Allentown, PA 18106 Breinigsville, PA 18031

(610) 904-4635

strapani@buckeye.com

TABLE OF RATES					
Rates in Ce	n Cents Per Barrel of 42 United S		FROM: (Origins)		
			CONNECTICUT		
[I] Increase: All rates on this page are increased.			NEW HAVEN		
	County		New Haven		
то:		Code	AA BA BB EN EW		
(Destinations)			Aviation Turbine Fuel	Distillates	Gasolines
CONNECTICUT					
NEW HAVEN	New Haven	(3)	-	16.97	16.97
MIDDLETOWN	Middlesex	RW	-	81.02	48.98
PORTLAND	Middlesex	RW			
EAST HARTFORD	Hartford	FD	-	93.80	61.01
HARTFORD (MAIN STREET)	Hartford	AJ			
ROCKY HILL	Hartford	RY			
WETHERSFIELD	Hartford	WE			
ENFIELD	Harford	FA	-	123.80	-
MELROSE	Hartford	NC			
BRADLEY INTERNATIONAL AIRPORT	Hartford	DY	124.25	124.25	-
MASSACHUSETTS					
LUDLOW	Hampden	LD	130.86	130.86	-
SPRINGFIELD	Hampden	(2)	-	130.86	100.50

### Notes:

- (1) Exception to FERC No. 436.14.0 (Rules and Regulations) Item No. 25: The minimum batch size is 5,000 barrels.
- (2) Springfield includes delivery points: Springfield Junction (GD), Bay Street (BS), Albany Street (AY), Agnew Street Junction (GW), and North Springfield (NG).
- (3) New Haven Location Abbreviation Codes are: (AA) (BA) (BB) (EN) (EW)

## **Explanation of Reference Marks:**

- [C] Cancel
- [I] Increase
- [N] New
- [W] Change in Wording Only